

Tube NF150T24L15D8 24W 4000K 2450Lm 300Degr. Ra90 1.50m



Tube NF150T24L15D8 24W 4000K 2450Lm 300Degr. Ra90 1.50m	
Article number:	CL 34029
Status product:	94E - Article ahead (GS1 Code)
Changed last:	02-10-2024
Brand:	Civilight
Type:	T8 1500mm
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Beam angle:	0 ~ 0 °
Nominal current:	0 ~ 0 mA	Dimmable:	No
Power factor:	0.95	Diameter:	28 mm
Lamp power:	24 ~ 24 W	Length:	1500 mm
Voltage type:	AC	Degree of protection (IP):	IP20
Luminous flux:	2450 ~ 2450 lm	Lamp designation:	T8
Rated luminous flux according to IEC 62612:	2450 lm	Energy efficiency class:	A+
Lamp efficacy:	102 lm/W	Min. number of switching cycles:	100000
Luminous intensity:	0 cd	Weighted energy consumption in 1000 hours:	24 kWh
Colour rendering index CRI:	90-100	Average nominal lifespan:	25000 h
Lamp shape:	Tube, double-ended	Remote operation possible:	No
Filament lamp:	No	With remote control:	No
Type of glass/cover:	Opal	Compatible with Apple HomeKit:	No
Socket:	G13	Compatible with Google Assistant:	No
Colour:	White	Compatible with Amazon Alexa:	No
Colour temperature:	3000 ~ 3000 K	IFTTT support available:	No
Housing colour:	White		

Packaging data

Weight	0 kg
Customs code	85395200

