

Li pro WC35 AC 220-240V 4.5W 2700-2100K 400Lm Ra80 D2W



Li pro WC35 AC 220-240V 4.5W 2700-2100K 400Lm Ra80 D2W	
Article number:	CL 10032
Status product:	94E - Article ahead (GS1 Code)
Changed last:	02-10-2024
Brand:	Civilight
Type:	LED kaarslamp
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Diameter:	37 mm
Nominal current:	195 ~ 195 mA	Length:	106 mm
Lamp power:	4.5 ~ 4.5 W	Degree of protection (IP):	IP20
Voltage type:	AC	Lamp designation:	Other
Luminous flux:	400 ~ 400 lm	Energy efficiency class:	A++
Rated luminous flux according to IEC 62612:	0 lm	Min. number of switching cycles:	10000
Lamp efficacy:	0 lm/W	Weighted energy consumption in 1000 hours:	5 kWh
Luminous intensity:	0 cd	Average nominal lifespan:	20000 h
Lamp shape:	Candle	Remote operation possible:	No
Filament lamp:	No	With remote control:	No
Socket:	E14	Compatible with Apple HomeKit:	No
Colour temperature:	2100 ~ 2700 K	Compatible with Google Assistant:	No
Beam angle:	360 ~ 360 °	Compatible with Amazon Alexa:	No
Dimmable:	Yes	IFTTT support available:	No

Packaging data

Weight	0.02 kg
Customs code	85395200

