

## Haled III D GU10 AC 200-240V 6W 2700K 350Lm 36Degr Ra95 Dim



Haled III D GU10 AC 200-240V 6W 2700K 350Lm 36Degr Ra95 Dim

Article number: CT 25653

EPREL number: 935133

Status product: 126 - CURRENT

Changed last: 02-10-2024

Brand: Cvitec

Type: GU10 Haled III

ETIM Group: EG000028 - Lamps

ETIM Classes: EC001959 - LED-lamp/Multi-LED

Synonym: Bulblamp, Candlelamp, Globelamp,  
Lamp, LED, LED candle, LED capsule,  
LED lamp, LED luster



## Feature

|                                             |                    |                                               |         |
|---------------------------------------------|--------------------|-----------------------------------------------|---------|
| Nominal voltage:                            | 200 ~ 240 V        | Colour consistency (McAdam ellipse):          | SDCM5   |
| Nominal current:                            | 35 ~ 35 mA         | Dimmable:                                     | Yes     |
| Power factor:                               | 0.9                | Diameter:                                     | 50 mm   |
| Lamp power:                                 | 6 ~ 6 W            | Length:                                       | 59 mm   |
| Voltage type:                               | AC                 | Degree of protection (IP):                    | IP20    |
| Luminous flux:                              | 350 ~ 350 lm       | Energy Efficiency Index (EEI):                | 0.18    |
| Rated luminous flux according to IEC 62612: | 350 lm             | Lamp designation:                             | PAR16   |
| Lamp efficacy:                              | 58 lm/W            | Energy efficiency class:                      | G       |
| Luminous intensity:                         | 900 cd             | Min. number of switching cycles:              | 100000  |
| Colour rendering index CRI:                 | 90-100             | Weighted energy consumption in 1000 hours:    | 6 kWh   |
| Lamp shape:                                 | Reflector          | Average nominal lifespan:                     | 40000 h |
| Filament lamp:                              | No                 | Remote operation possible:                    | No      |
| Type of glass/cover:                        | Clear              | With remote control:                          | No      |
| Colour of light according to EN 12464-1:    | Warm white <3300 K | Photobiological safety according to EN 62471: | RG1     |
| Socket:                                     | GU10               | Compatible with Apple HomeKit:                | No      |
| Colour:                                     | White              | Compatible with Google Assistant:             | No      |
| Colour temperature:                         | 2700 ~ 2700 K      | Compatible with Amazon Alexa:                 | No      |
| Housing colour:                             | Grey               | IFTTT support available:                      | No      |
| Beam angle:                                 | 36 ~ 36 °          |                                               |         |

## Packaging data

|              |          |
|--------------|----------|
| Weight       | 0.09 kg  |
| Width        | 50 mm    |
| Height       | 65 mm    |
| Length       | 50 mm    |
| Customs code | 85395200 |

