





Magoo basis E27 5V matt black DIM		
Article number:	590014.00A	
Status product:	126 - CURRENT	
Changed last:	21-05-2025	
Brand:	Daylight Italia	
Туре:	Magoo basis	
ETIM Group:	EG000027 - Luminaires	
ETIM Classes:	EC000302 - Table luminaire	
Synonym:	Desk lamp, Desk luminaire, Floor luminaire, Housing lighting luminaire, Loupe light, Office luminaire, Table lamp, Table luminaire, Workplace lighting lamp	









## **Feature**

Munification				
Suitable for wall mounting: Adjustable. No Dimming pressuremable: No Dimming RF: No Bendable: No Dimming Show Wave Reduction: No Dimming Touch and Dimming Adjustable height: No Dimming Touch and Dimming Counting Show Wave Reduction: Adjustable freight: No Dimming Touch and Dimming Counting Show Wave Reduction: No With light source: Suitable for number of light sources: 1 No Mort Mount Counting Show Wave Reduction: No Bear Agustable For Jumber of light sources: 1 No Mort Mount Counting With push-button: No Bear Agustable For Jumber of light sources: 1 No Mort Mount Counting With Jumber Detroits: Plastic Pastic Rated life time L80/B10 at 25 °C: No Housing colour: Plastic Rated life time L80/B10 at 25 °C: No Housing colour: Black With Switch: No Colour cover: Black With dimmer: No Suitable for workplace according to EN No Suitable for time prower: No Suitable for time prower: No Suitable for time prower: No No No No Suitable for time prower: No No No No No No No No Suitable for time prower: No	Type of luminaire:	Desk luminaire	Dimming phase cut-off:	No
Adjustable: No Dimming RF: No Dimming Sine Wave Reduction: No Dimming Touch and Dimming Adjustable height: No Dimming Touch and Dimming Zipbee: No Compatible with Amazon Alexa: No Dimming Zippe: No Compatible with Amazon Alexa: No Dimming Zipp	Mounting method:	Stand (base)	Dimming phase cut-on:	No
Bendable: No Dimming Sine Wave Reduction: No Dimming Couch and Dim: No Dimming Touch and Dim: No Dimming Touch and Dim: No Dimming Zigbee: No Dimming With Inght sources: 1 No dim function: Yes Lamp holder: E27 Rated life time LB0/B10 at 25 °C: 0 h Housing routerial: Plastic Rated life time LB0/B10 at 25 °C: 0 h Housing routerial: Plastic, opal With socket outlet: No Material cover: Plastic, opal With socket outlet: No Dimming Zigbee: No Dimming Zigbee: No Dimming July No Dimming Oil No No Dimming Dimming Dim. No Compatible with Amazon Alexa: No Dimming Dims	Suitable for wall mounting:	No	Dimming programmable:	No
Adjustable height: No Dimming Touch and Dim: No Dimming Zighee: No Dimming with gush-button: No Dimming DMX: No Dimming potentioneter (nitegrated): No Dimming potentioneter (nitegrated): No Dimming potentioneter (nitegrated): No Dimming DMX: No Dimming DMX: No Dimming potentioneter (nitegrated): No Dimming potentioneter (nitegrated): No Dimming potentioneter (nitegrated): No Dimming DMX: No Dimming DMX: No Congatible with Amazon Alexa: No Dimming potentioneter (nitegrated): No Congatible with Google Assistant: No Dimming potentioneter (nitegrated): No Congatible with Google Assistant: No Dimming potentioneter (nitegrated): No Congatible with Google Assistant: No Dimming GPRS: No Congatible with Apple Honekit: No Dimming DMX: No Congatible with Apple Honekit: No Dimming potentioneter (nitegrated): No Congatible with Apple Honekit: No Dimming potentioneter (nitegrated): No Congatible with Apple Honekit: No Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No Dimming DMX: No Compatible with Amazon Alexa: No Dimming DMX: No Compatible with Amazon Alexa: No Dimming DMX: No Compatible with Amazon Alexa: No Dimming DMX	Adjustable:	No	Dimming RF:	No
Lamp type: LED exchangeable Dimming Zigbee: No With light source: No Dimming with push-button: No Suitable for number of light sources: 1 No Modim function: Yes Lamp holder: E27 Rated life time L70/B50 at 25 °C: 0 h Housing material: Plastic Rated life time L80/B10 at 25 °C: 0 h Housing colour: Black With switch: No Material cover: Plastic, opal With socket outlet: No Colour cover: Black With dimmer: No Suitable for workplace according to EN No Suitable for lamp power: 0 - 0 W 12464-1: No Suitable for lamp power: 0 - 0 W  Direct-indirect proportion separately No Suitable for lamp power: 0 - 0 W  Voltage type: DC Electrical connection with connector system: No Nominal voltage: 5 - 5 V Rated luminous flux according to EC Ol Im Exchangeable control gear: No Constant light output (CLO): No Exchangeable control gear: No Colour of light adjustable: No Dimming 0-10 V: No Beam angle adjustable: No Dimming DALI: No Width No Height 20 No Dimming DALI: No Compatible with Apple Honnekt: No Dimming DPRS: No Compatible with Apple Honnekt: No Dimming proportion sperately No Compatible with Apple Honnekt: No Dimming proportion per No Compatible with Apple Honnekt: No Dimming DRS: No Compatible with Apple Honnekt: No Dimming DRS: No Compatible with Apple Honnekt: No	Bendable:	No	Dimming Sine Wave Reduction:	No
With light source: No Dimming with push-button: No Suitable for number of light sources: 1 No dim function: Yes   Lamp holder: E27 Rated life time L70/B50 at 25°C: 0 h   Housing material: Plastic Rated life time L80/B10 at 25°C: 0 h   Housing colour: Black With switch: No   Material cover: Plastic, opal With socket outlet: No   Colour cover: Black With dimmer: No   Suitable for workplace according to EN   Direct-findirect proportion separately No   Controllable: 5 - 5 V Rated luminous flux according to EC   With voltage type: DC Electrical connection with connector system: No   Nominal voltage: 5 - 5 V Rated luminous flux according to EC   With control gear: No   Colour cover: No   Colour diplast: No   Constant light output (CLO): No   Exchangeable control gear: No   Constant light output (CLO): No   Dimming 0-10 V: No   Dimming 1-10 V: No   Dimming DAL: No   Dimming DAL: No   Dimming DSE: No   Dimming DSE: No   Dimming DSE: No   Dimming GPRS: No   Compatible with Amazon Alexa: No	Adjustable height:	No	Dimming Touch and Dim:	No
Suitable for number of light sources: 1 No dim function: Yes  Lamp holder: E27 Rated life time L70/B50 at 25 °C: 0 h  Housing material: Plastic Rated life time L80/B10 at 25 °C: 0 h  Housing colour: Black With switch: No  Material cover: Plastic, opal With socket utbit: No  Colour cover: Black With dimmer: No  Suitable for workplace according to EN 1248-1: No Suitable for lamp power: 0 - 0 W  Direct-/indirect proportion separately: No Suitable for lamp power: 0 - 0 W  Controllable: DC Electrical connection with connector system: No  Nominal voltage: 5 - 5 V Rated luminous flux according to IEC 62722-2-1:  Type of control gear: Not required Colour temperature: 0 - 0 K  With control gear: No Constant light output (CLO): No  Exchangeable control gear: No Constant light output (CLO): No  Dimming 0-10 V: No Luminous flux adjustable: No  Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Width: 120 mm  Dimming DAIL: No Dimming DSI: No Compatible with Apple HomeKit: No  Dimming protentiometer (integrated): No Compatible with Apple HomeKit: No  Dimming protentiometer (integrated): No Compatible with Apple HomeKit: No  Dimming manufacturer's proprietary system: No Compatible with Apple HomeKit: No	Lamp type:	LED exchangeable	Dimming Zigbee:	No
Lamp holder: E27 Rated life time L70/B50 at 25 °C: 0 h Housing material: Plastic Rated life time L80/B10 at 25 °C: 0 h Housing colour: Black With switch: No  Material cover: Plastic, opal With socket outlet: No  Colour cover: Black With switch: No  Suitable for workplace according to EN to 12484-1: Suitable for lamp power: 0 - 0 W  Direct-/indirect proportion separately controllable: DC Electrical connection with connector system: No  Nominal voltage type: DC Electrical connection with connector system: No  Nominal voltage: 5 - 5 V Rated luminous flux according to EC 0 Im 627222-21:  Type of control gear: Not required Colour temperature: 0 - 0 K  With control gear: No Constant light output (CLO): No  Exchangeable control gear: No Constant light output (CLO): No  Exchangeable control gear: No Colour structure in No  Dimming 0-10 V: No Beam angle adjustable: No  Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Height No Dimming DS: No Compatible with Apple HomeKit: No  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming granufacturer's proprietary system: No Compatible with Amazon Alexa: No	With light source:	No	Dimming with push-button:	No
Housing material: Plastic Rated life time L80/B10 at 25 °C: 0 h Housing colour: Black With switch: No  Material cover: Plastic, opal With socket outlet: No  Colour cover: Black With dimmer: No  Suitable for workplace according to EN 12464-1: No  Direct-findirect proportion separately controllable: No  Tagration of the proportion of the parameter of the proportion of the proportion of the parameter of the proportion of the parameter of the proportion of	Suitable for number of light sources:	1	No dim function:	Yes
Housing colour: Black With switch: No  Material cover: Plastic, opal With socket outlet: No  Colour cover: Black With dimmer: No  Suitable for workplace according to EN 12464-1:  Direct-/indirect proportion separately controllable: No  Electrical connection with connector system: No  Rated luminous flux according to IEC of the farze-2-2-2-1:  Type of control gear: No tot required Colour temperature: 0 - 0 K  With control gear: No Constant light output (CLO): No  Exchangeable control gear: No Colour of light adjustable: No  Dimming 0-10 V: No Beam angle adjustable: No  Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Height/depth: 90 mm  Dimming DALI: No Height/depth: 90 mm  Dimming DSI: No Compatible with Apple HomeKit: No  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming GPRS: No Compatible with Apple HomeKit: No	Lamp holder:	E27	Rated life time L70/B50 at 25 °C:	0 h
Material cover: Plastic, opal With socket outlet: No Colour cover: Black With dimmer: No Suitable for workplace according to EN 12464-1: Direct-findirect proportion separately controllable: Po C Electrical connection with connector system: No Nominal voltage type: DC Electrical connection with connector system: No Nominal voltage: 5 - 5 V Rated luminous flux according to EIC 62722-2-1: Type of control gear: Not required Colour temperature: 0 - 0 K With control gear: No Constant light output (CLO): No Exchangeable control gear: No Colour of light adjustable: No Exchangeable control gear: No Colour flux adjustable: No Dimming 0-10 V: No Beam angle adjustable: No Dimming DALL: No Beam angle adjustable: No Dimming DAL: No Beam angle adjustable: No Dimming DMX: No Beam angle adjustable: No Dimming DSI: No Compatible with Apple HomeKit: No Dimming GPRS: No Compatible with Apple HomeKit: No Dimming GPRS: No Compatible with Apple HomeKit: No	Housing material:	Plastic	Rated life time L80/B10 at 25 °C:	0 h
Colour cover: Black With dimmer: No Suitable for workplace according to EN 12464-1:  Direct-/indirect proportion separately controllable: No Beam angle adjustable: No Read luminous flux according to IEC 62722-2-1:  Type of control gear: No Constant light output (CLO): No Exchangeable control gear: No Constant light output (CLO): No Dimming DALI: No Beam angle adjustable: No Beam angle adjustable: No Dimming DBM: No Beam angle adjustable: No Dimming DBM: No Compatible with Apple Homekrit: No Dimming GPRS: No Compatible with Apple Homekrit: No Dimming GPRS: No Compatible with Apple Homekrit: No Dimming LineSwitch: No Compatible with Apple Homekrit: No Compatible with Amazon Alexa: No Co	Housing colour:	Black	With switch:	No
Suitable for workplace according to EN 12464-1:  Direct-/indirect proportion separately controllable:  Voltage type: DC Electrical connection with connector system: No  Nominal voltage: 5 ~ 5 V Rated luminous flux according to IEC 62722-2-1:  Type of control gear: Not required Colour temperature: 0 ~ 0 K  With control gear: No Constant light output (CLO): No  Exchangeable control gear: No Constant light adjustable: No  Dimming 0-10 V: No Beam angle adjustable: No  Dimming DALI: No Beam angle adjustable: No  Dimming DALI: No Height/depth: 90 mm  Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Compatible with Apple HomeKit: No  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No	Material cover:	Plastic, opal	With socket outlet:	No
Direct-/indirect proportion separately controllable:    Direct-/indirect proportion separately controllable:   DC   Electrical connection with connector system:   No	Colour cover:	Black	With dimmer:	No
Voltage type: DC Electrical connection with connector system: No  Nominal voltage: 5 - 5 V Rated luminous flux according to IEC 62722-2-1:  Type of control gear: Not required Colour temperature: 0 - 0 K  With control gear: No Constant light output (CLO): No  Exchangeable control gear: No Colour of light adjustable: No  Dimming 0-10 V: No Luminous flux adjustable: No  Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Width: 120 mm  Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Length: 120 mm  Dimming postentiometer (integrated): No Compatible with Apple HomeKit: No  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No		No	Suitable for lamp power:	0 ~ 0 W
Nominal voltage: 5 ~ 5 V Rated luminous flux according to IEC 62722-2-1:  Type of control gear: Not required Colour temperature: 0 ~ 0 K With control gear: No Constant light output (CLO): No Exchangeable control gear: No Colour of light adjustable: No Dimming 0-10 V: No Luminous flux adjustable: No Dimming 1-10 V: No Beam angle adjustable: No Dimming DALI: No Width: 120 mm Dimming DMX: No Height/depth: 90 mm Dimming DSI: No Length: 120 mm Dimming potentiometer (integrated): No Compatible with Apple HomeKit: No Dimming GPRS: No Compatible with Apple HomeKit: No Dimming LineSwitch: No Compatible with Google Assistant: No		No	Max. system power:	0 W
Type of control gear: Not required Colour temperature: 0 ~ 0 K  With control gear: No Constant light output (CLO): No  Exchangeable control gear: No Colour of light adjustable: No  Dimming 0-10 V: No Luminous flux adjustable: No  Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Width: 120 mm  Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Length: 120 mm  Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No	Voltage type:	DC	Electrical connection with connector system:	No
With control gear: No Constant light output (CLO): No  Exchangeable control gear: No Colour of light adjustable: No  Dimming 0-10 V: No Luminous flux adjustable: No  Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Width: 120 mm  Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Length: 120 mm  Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No  Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Nominal voltage:	5 ~ 5 V	9	0 lm
Exchangeable control gear: No Colour of light adjustable: No  Dimming 0-10 V: No Luminous flux adjustable: No  Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Width: 120 mm  Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Length: 120 mm  Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No  Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Type of control gear:	Not required	Colour temperature:	0 ~ 0 K
Dimming 0-10 V: No Luminous flux adjustable: No  Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Width: 120 mm  Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Length: 120 mm  Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No  Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	With control gear:	No	Constant light output (CLO):	No
Dimming 1-10 V: No Beam angle adjustable: No  Dimming DALI: No Width: 120 mm  Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Length: 120 mm  Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No  Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Exchangeable control gear:	No	Colour of light adjustable:	No
Dimming DALI: No Width: 120 mm  Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Length: 120 mm  Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No  Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Dimming 0-10 V:	No	Luminous flux adjustable:	No
Dimming DMX: No Height/depth: 90 mm  Dimming DSI: No Length: 120 mm  Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No  Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Dimming 1-10 V:	No	Beam angle adjustable:	No
Dimming DSI: No Length: 120 mm  Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No  Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Dimming DALI:	No	Width:	120 mm
Dimming potentiometer (integrated): No Diameter: 120 mm  Dimming GPRS: No Compatible with Apple HomeKit: No  Dimming LineSwitch: No Compatible with Google Assistant: No  Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Dimming DMX:	No	Height/depth:	90 mm
Dimming GPRS: No Compatible with Apple HomeKit: No Dimming LineSwitch: No Compatible with Google Assistant: No Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Dimming DSI:	No	Length:	120 mm
Dimming LineSwitch: No Compatible with Google Assistant: No Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Dimming potentiometer (integrated):	No	Diameter:	120 mm
Dimming manufacturer's proprietary system: No Compatible with Amazon Alexa: No	Dimming GPRS:	No	Compatible with Apple HomeKit:	No
	Dimming LineSwitch:	No	Compatible with Google Assistant:	No
Dimming mains voltage modulation: No IFTTT support available: No	Dimming manufacturer's proprietary system:	No	Compatible with Amazon Alexa:	No
	Dimming mains voltage modulation:	No	IFTTT support available:	No

## Packaging data

Customs code 94052080	Weight	0 gr
043(011)3 0040 04002000	Customs code	94052080



0



