

Wernhoutseweg 38A
4884 AW Wernhout
The Netherlands

Ballerina complete 5V battery white RAL9010 + batt + cover



010 + batt + cover
810310.00A
126 - CURRENT
07-03-2025
Daylight Italia
Ballerina complete
EG000027 - Luminaires
EC000302 - Table luminaire
Desk lamp, Desk luminaire, Floor luminaire, Housing lighting luminaire, Loupe light, Office luminaire, Table lamp, Table luminaire, Workplace lighting lamp



Page: 1/3



BTW NL857194811B01 KVK 67841333 All transactions with Vezalux are subject to our general terms of trading as declared with the Chamber of Commerce at Breda 67841333.





Wernhoutseweg 38A 4884 AW Wernhout

+31 (0)76 - 59 712 20

info@vezalux.nl

www.vezalux.com Ø



Feature

			-
Type of luminaire:	Desk luminaire	Dimming phase cut-on:	No
Mounting method:	Stand (base)	Dimming programmable:	No
Suitable for wall mounting:	No	Dimming RF:	No
Adjustable:	Yes	Dimming Sine Wave Reduction:	No
Bendable:	No	Dimming Touch and Dim:	Yes
Adjustable height:	No	Dimming Zigbee:	No
Lamp type:	LED exchangeable	Dimming with push-button:	No
With light source:	Yes	No dim function:	No
Suitable for number of light sources:	1	Light distributor:	Other
Lamp holder:	E27	Rated life time L70/B50 at 25 °C:	15000 h
Housing material:	Plastic	Rated life time L80/B10 at 25 °C:	0 h
Housing colour:	White	With switch:	Yes
Material cover:	Other	With socket outlet:	Yes
Colour cover:	White	With dimmer:	Yes
Suitable for workplace according to EN 12464-1:	No	Suitable for lamp power:	1.3 ~ 1.3 W
Direct-/indirect proportion separately controllable:	No	Max. system power:	0 W
Voltage type:	DC	Electrical connection with connector system:	No
Nominal voltage:	5 ~ 5 V	Rated luminous flux according to IEC 62722-2-1:	0 lm
Type of control gear:	Not required	Colour of light:	White
With control gear:	No	Colour temperature:	2500 ~ 2700 K
Exchangeable control gear:	No	Colour rendering index CRI:	80-89
Dimming 0-10 V:	No	Constant light output (CLO):	No
Dimming 1-10 V:	No	Colour of light adjustable:	No
Dimming DALI:	No	Width:	0 mm
Dimming DMX:	No	Height/depth:	0 mm
Dimming DSI:	No	Length:	0 mm
Dimming potentiometer (integrated):	No	Diameter:	0 mm
Dimming GPRS:	No	Compatible with Apple HomeKit:	No
Dimming LineSwitch:	No	Compatible with Google Assistant:	No
Dimming manufacturer's proprietary system:	No	Compatible with Amazon Alexa:	No
Dimming mains voltage modulation:	No	IFTTT support available:	No
Dimming phase cut-off:	No		

Packaging data

Weight 0 gr

Customs code 94052080

Page: 2/3



BTW NL857194811B01 KVK 67841333



Wernhoutseweg 38A
4884 AW Wernhout
The Netherlands

S +31 (0)76 - 59 712 20
info@vezalux.nl

www.vezalux.com

Ø





Page: 3/3

IBAN NL65 INGB 0008 3845 00 BIC INGBNL2A BTW NL857194811B01 KVK 67841333 All transactions with Vezalux are subject to our general terms of trading as declared with the Chamber of Commerce at Breda 67841333.