

Wernhoutseweg 38A
4884 AW Wernhout
The Netherlands

Section 3.1 (0)76 - 59 712 20
Section 3.1

## Standard rotary dimmer LED 1730DD Jung



Article number:	J1730DD
Status product:	126 - CURRENT
Changed last:	28-05-2025
Brand:	Jung
Туре:	1730DD
ETIM Group:	EG000013 - Domestic switching devices
ETIM Classes:	EC000025 - Dimmer
Synonym:	Adapter plug, Dimmer, Plug adapter





Page: 1/3

BTW NL857194811B01 KVK 67841333 All transactions with Vezalux are subject to our general terms of trading as declared with the Chamber of Commerce at Breda 67841333.



www.vezalux.com

Ø

## Feature

Assembly arrangement:	Basic element	Transparent:	No
Method of operation:	Turn/push button	Nominal voltage:	230 ~ 230 V
App control via Bluetooth:	No	Frequency:	50 ~ 50 Hz
Dimming phase cut-on:	Yes	Control voltage:	0 ~ 0 V
Dimming phase cut-off:	Yes	Nominal power resistive load:	0 ~ 0 W
Serial dimmer:	No	Nominal power inductive load:	0 ~ 0 VA
Type of load:	Other	Nominal power capacitive load:	0 ~ 0 VA
Substation input:	No	Max. switching power LED:	0 W
Light value memory:	Yes	Connection type:	Screwed terminal
Applicable with button:	No	Core cross section:	0.5 ~ 0.5 mm²
Applicable with movement sensor:	No	Device width:	0 mm
Applicable with presence indicator:	No	Device height:	0 mm
Applicable with time switch/timer:	No	Device depth:	0 mm
Applicable with transmission button:	No	Min. depth of built-in installation box:	32 mm
Applicable with infrared button:	No	Compatible with Apple HomeKit:	No
Mounting method:	Flush-mounted	Compatible with Google Assistant:	No
Type of fastening:	Mounting with claw and screw	Compatible with Amazon Alexa:	No
Halogen free:	Yes	IFTTT support available:	No

## Packaging data

Weight 0 gr



BTW NL857194811B01 KVK 67841333 Page: 2/3



Wernhoutseweg 38A
4884 AW Wernhout
The Netherlands

(₀)76 - 59 712 20
info@vezalux.nl

www.vezalux.com



IBAN NL65 INGB 0008 3845 00 BIC INGBNL2A BTW NL857194811B01 KVK 67841333 Page: 3/3

