

LED Dulux S G23 3.5W 830 Ledvance



LED replacement for short CFLni, with 2-pin G23 base for CCG and AC mains operation. Product features: LED replacement for conventional compact fluorescent lamps for use in CCG luminaires or on AC mains. Lifetime: up to 30,000 h. Single-ended two-pin plug-in G23 base. Type of protection: IP20. Mercury-free lamps. Product benefits: Easy installation. Low energy consumption. Easy relamping thanks to compact design. Operation directly on 230 V AC mains possible. Areas of application: General illumination within ambient temperatures from -20...+45 °C. Supermarkets and department stores. Walkways and corridors. Hotels, restaurants.

Article number: LV 822931

Status product: 126 - CURRENT

Changed last: 17-12-2024

Brand: LEDVANCE

Type: G23

ETIM Group: EG000028 - Lamps

ETIM Classes: EC001959 - LED-lamp/Multi-LED

Synonym: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Housing colour:	White
Nominal current:	16 ~ 16 mA	Beam angle:	120 ~ 120 °
Power factor:	0.9	Colour consistency (McAdam ellipse):	SDCM6
Lamp power:	3.5 ~ 3.5 W	Dimmable:	No
Voltage type:	AC	Diameter:	32.3 mm
Luminous flux:	360 ~ 360 lm	Length:	135 mm
Rated luminous flux according to IEC 62612:	360 lm	Degree of protection (IP):	IP20
Lamp efficacy:	102 lm/W	Min. number of switching cycles:	200000
Luminous intensity:	0 cd	Weighted energy consumption in 1000 hours:	4 kWh
Colour rendering index CRI:	80-89	Average nominal lifespan:	30000 h
Lamp shape:	Tube, single-ended	Remote operation possible:	No
Filament lamp:	No	With remote control:	No
Type of glass/cover:	Frosted	Photobiological safety according to EN 62471:	RG0
Colour of light according to EN 12464-1:	Warm white <3300 K	Compatible with Apple HomeKit:	No
Socket:	G23	Compatible with Google Assistant:	No
Colour:	White	Compatible with Amazon Alexa:	No
Colour temperature:	3000 ~ 3000 K	IFTTT support available:	Yes

Packaging data

Weight	0.05 kg
Width	0.04 m
Height	0.14 m
Length	0.02 m
Customs code	85395200

