

LED G12 T30x110mm 230V 2000Lm 18W 3000K 830 AC cl Dim



LED G12 T30x110mm 230V 2000Lm 18W 3000K 830 AC cl Dim	
Article number:	LG1218830
Status product:	126 - CURRENT
Changed last:	03-04-2025
Brand:	SPL
Type:	G12
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Beam angle:	360 ~ 360 °
Nominal current:	75 ~ 82 mA	Dimmable:	Yes
Power factor:	0.95	Diameter:	30 mm
Lamp power:	18 ~ 18 W	Length:	105 mm
Voltage type:	AC	Degree of protection (IP):	IP20
Luminous flux:	1800 ~ 2200 lm	Lamp designation:	Other
Rated luminous flux according to IEC 62612:	2000 lm	Energy efficiency class:	E
Lamp efficacy:	111.11 lm/W	Min. number of switching cycles:	15000
Luminous intensity:	0 cd	Weighted energy consumption in 1000 hours:	18 kWh
Colour rendering index CRI:	80-89	Average nominal lifespan:	25000 h
Lamp shape:	Tube, single-ended	Remote operation possible:	No
Filament lamp:	No	With remote control:	No
Type of glass/cover:	Clear	Photobiological safety according to EN 62471:	RG0
Colour of light according to EN 12464-1:	Warm white <3300 K	Compatible with Apple HomeKit:	No
Socket:	Other	Compatible with Google Assistant:	No
Colour:	White	Compatible with Amazon Alexa:	No
Colour temperature:	3000 ~ 3000 K	IFTTT support available:	No

Packaging data

Weight	0 gr
Customs code	85395200

