

LED E27 GLS A60x110 100-240V 600Lm 7W 830 220Â° AC/DC Opal No



Quality higher than average in the market; Suitable for 110/130V and 220/240V;

Article number: L902760650

Status product: 126 - CURRENT

Changed last: 07-02-2025

Brand: Schiefer

Type: LED standaard

ETIM Group: EG000028 - Lamps

ETIM Classes: EC001959 - LED-lamp/Multi-LED

Synonym: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



Feature

Nominal voltage:	100 ~ 240 V	Colour consistency (McAdam ellipse):	SDCM5
Nominal current:	29 ~ 70 mA	Dimmable:	No
Power factor:	0.5	Diameter:	60 mm
Lamp power:	7 ~ 7 W	Length:	110 mm
Voltage type:	AC/DC	Degree of protection (IP):	IP20
Luminous flux:	540 ~ 660 lm	Lamp designation:	A-type
Rated luminous flux according to IEC 62612:	600 lm	Min. number of switching cycles:	50000
Lamp efficacy:	85.71 lm/W	Weighted energy consumption in 1000 hours:	7 kWh
Colour rendering index CRI:	80-89	Average nominal lifespan:	25000 h
Lamp shape:	Pear-shape	Remote operation possible:	No
Filament lamp:	Yes	With remote control:	No
Type of glass/cover:	Opal	Photobiological safety according to EN 62471:	RG0
Colour of light according to EN 12464-1:	Warm white <3300 K	Compatible with Apple HomeKit:	No
Socket:	E27	Compatible with Google Assistant:	No
Colour:	White	Compatible with Amazon Alexa:	No
Colour temperature:	3000 ~ 3000 K	IFTTT support available:	No
Beam angle:	220 ~ 220 °		

Packaging data

Weight	0.05 kg
Width	0.07 m
Height	0.12 m
Length	0.07 m
Customs code	85395200

