

## E27 A65 LED 230V 14W 2700-2000K 1050Lm 270° D2W



> CRI90; Dimmable; Light becomes warmer when dimmed (like halogen);

|                 |                                                                                           |
|-----------------|-------------------------------------------------------------------------------------------|
| Article number: | L9027652314                                                                               |
| Status product: | 126 - CURRENT                                                                             |
| Changed last:   | 07-02-2025                                                                                |
| Brand:          | Schiefer                                                                                  |
| Type:           | LED standaard                                                                             |
| ETIM Group:     | EG000028 - Lamps                                                                          |
| ETIM Classes:   | EC001959 - LED-lamp/Multi-LED                                                             |
| Synonym:        | Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster |



## Feature

|                                             |                    |                                               |         |
|---------------------------------------------|--------------------|-----------------------------------------------|---------|
| Nominal voltage:                            | 220 ~ 240 V        | Colour consistency (McAdam ellipse):          | SDCM6   |
| Nominal current:                            | 58 ~ 64 mA         | Dimmable:                                     | Yes     |
| Power factor:                               | 0.95               | Diameter:                                     | 65 mm   |
| Lamp power:                                 | 14 ~ 14 W          | Length:                                       | 128 mm  |
| Voltage type:                               | AC                 | Degree of protection (IP):                    | IP20    |
| Luminous flux:                              | 945 ~ 1155 lm      | Energy Efficiency Index (EEI):                | 0.18    |
| Rated luminous flux according to IEC 62612: | 1050 lm            | Lamp designation:                             | A-type  |
| Lamp efficacy:                              | 75 lm/W            | Energy efficiency class:                      | G       |
| Colour rendering index CRI:                 | 90-100             | Min. number of switching cycles:              | 50000   |
| Lamp shape:                                 | Pear-shape         | Weighted energy consumption in 1000 hours:    | 14 kWh  |
| Filament lamp:                              | No                 | Average nominal lifespan:                     | 25000 h |
| Type of glass/cover:                        | Opal               | Remote operation possible:                    | No      |
| Colour of light according to EN 12464-1:    | Warm white <3300 K | With remote control:                          | No      |
| Socket:                                     | E27                | Photobiological safety according to EN 62471: | RG0     |
| Colour:                                     | White              | Compatible with Apple HomeKit:                | No      |
| Colour temperature:                         | 2200 ~ 2700 K      | Compatible with Google Assistant:             | No      |
| Housing colour:                             | White              | Compatible with Amazon Alexa:                 | No      |
| Beam angle:                                 | 270 ~ 270 °        | IFTTT support available:                      | No      |

## Packaging data

|              |          |
|--------------|----------|
| Weight       | 0.14 kg  |
| Width        | 0.07 m   |
| Height       | 0.13 m   |
| Length       | 0.07 m   |
| Customs code | 85395200 |

