

Ba22d Ball LED G45x80 12-60V 3w 250Lm 830 160Degr DC Opal ND



> 2 year warranty; Suitable for 12V until 60V; Suitable for 24V with over voltage protection ;
Marine and automotive application;

Article number:	L892212603
Status product:	126 - CURRENT
Changed last:	07-02-2025
Brand:	Schiefer
Type:	LED ball lamp
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	12 ~ 60 V	Colour consistency (McAdam ellipse):	SDCM5
Nominal current:	50 ~ 250 mA	Dimmable:	No
Power factor:	1	Diameter:	45 mm
Lamp power:	3 ~ 3 W	Length:	80 mm
Voltage type:	DC	Degree of protection (IP):	IP20
Luminous flux:	225 ~ 275 lm	Energy Efficiency Index (EEI):	0.12
Rated luminous flux according to IEC 62612:	250 lm	Lamp designation:	Other
Lamp efficacy:	83.33 lm/W	Energy efficiency class:	G
Colour rendering index CRI:	80-89	Min. number of switching cycles:	50000
Lamp shape:	Round/globe	Weighted energy consumption in 1000 hours:	3 kWh
Filament lamp:	No	Average nominal lifespan:	25000 h
Type of glass/cover:	Opal	Remote operation possible:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	With remote control:	No
Socket:	B22d	Photobiological safety according to EN 62471:	RG0
Colour:	White	Compatible with Apple HomeKit:	No
Colour temperature:	3000 ~ 3000 K	Compatible with Google Assistant:	No
Housing colour:	White	Compatible with Amazon Alexa:	No
Beam angle:	160 ~ 160 °	IFTTT support available:	No

Packaging data

Weight	0.03 kg
Width	0.05 m
Height	0.09 m
Length	0.05 m
Customs code	85395200

