

E27 A70x140 mm LED 12-60V 12W 3000K 1100Lm Opal non-dim



> 2 year warranty; Suitable for 12V until 60V; Suitable for 24V with over voltage protection ;
Marine and automotive application;

Article number:	L9027126012
Status product:	126 - CURRENT
Changed last:	07-02-2025
Brand:	Schiefer
Type:	LED standaard
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	12 ~ 60 V	Colour consistency (McAdam ellipse):	SDCM6
Nominal current:	200 ~ 1000 mA	Dimmable:	No
Power factor:	0.5	Diameter:	70 mm
Lamp power:	12 ~ 12 W	Length:	140 mm
Voltage type:	AC/DC	Degree of protection (IP):	IP20
Luminous flux:	990 ~ 1210 lm	Energy Efficiency Index (EEI):	0.14
Rated luminous flux according to IEC 62612:	1100 lm	Lamp designation:	A-type
Lamp efficacy:	91.67 lm/W	Energy efficiency class:	F
Colour rendering index CRI:	80-89	Min. number of switching cycles:	25000
Lamp shape:	Pear-shape	Weighted energy consumption in 1000 hours:	12 kWh
Filament lamp:	No	Average nominal lifespan:	15000 h
Type of glass/cover:	Opal	Remote operation possible:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	With remote control:	No
Socket:	E27	Photobiological safety according to EN 62471:	RG0
Colour:	White	Compatible with Apple HomeKit:	No
Colour temperature:	3000 ~ 3000 K	Compatible with Google Assistant:	No
Housing colour:	Grey	Compatible with Amazon Alexa:	No
Beam angle:	160 ~ 160 °	IFTTT support available:	No

Packaging data

Weight	0.09 kg
Width	0.07 m
Height	0.15 m
Length	0.07 m
Customs code	85395200

