

LED E14 Fila G45x75 24V 270Lm 4W-AC 3W-DC 922 AC/DC CL SPL



> CRI90; Suitable for 24V with over voltage protection ; Perfect incandescent replacement by size and lumen; Marine and automotive application;

Article number:	LF891422244
Status product:	126 - CURRENT
Changed last:	07-02-2025
Brand:	Schiefer
Type:	LED ball lamp
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	24 ~ 24 V	Colour consistency (McAdam ellipse):	SDCM6
Nominal current:	167 ~ 167 mA	Dimmable:	No
Power factor:	0.7	Diameter:	45 mm
Lamp power:	4 ~ 4 W	Length:	75 mm
Voltage type:	AC/DC	Degree of protection (IP):	IP20
Luminous flux:	243 ~ 297 lm	Lamp designation:	Other
Rated luminous flux according to IEC 62612:	270 lm	Min. number of switching cycles:	30000
Lamp efficacy:	67.5 lm/W	Weighted energy consumption in 1000 hours:	4 kWh
Colour rendering index CRI:	90-100	Average nominal lifespan:	25000 h
Lamp shape:	Round/globe	Remote operation possible:	No
Filament lamp:	Yes	With remote control:	No
Type of glass/cover:	Clear	Photobiological safety according to EN 62471:	RG0
Colour of light according to EN 12464-1:	Warm white <3300 K	Compatible with Apple HomeKit:	No
Socket:	E14	Compatible with Google Assistant:	No
Colour:	White	Compatible with Amazon Alexa:	No
Colour temperature:	2200 ~ 2200 K	IFTTT support available:	No
Beam angle:	360 ~ 360 °		

Packaging data

Weight	0.03 kg
Width	0.05 m
Height	0.09 m
Length	0.05 m
Customs code	85395200

