

E27 led fila globe G 95x135mm 230V 100Lm 4.5W 922 AC Smoke D



> CRI90; Dimmable; This item can be combined in dimming with any other LF-items (same driver); Special (decorative) design for all markets;

Article number:	LF322795422SD
Status product:	126 - CURRENT
Changed last:	07-02-2025
Brand:	Schiefer
Type:	LED globelamp
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Dimmable:	Yes
Nominal current:	19 ~ 20 mA	Diameter:	95 mm
Power factor:	0.85	Length:	135 mm
Lamp power:	4.5 ~ 4.5 W	Degree of protection (IP):	IP20
Voltage type:	AC	Energy Efficiency Index (EEI):	0.33
Luminous flux:	90 ~ 110 lm	Lamp designation:	Other
Rated luminous flux according to IEC 62612:	100 lm	Energy efficiency class:	G
Lamp efficacy:	22.22 lm/W	Min. number of switching cycles:	30000
Colour rendering index CRI:	90-100	Weighted energy consumption in 1000 hours:	5 kWh
Lamp shape:	Round/globe	Average nominal lifespan:	15000 h
Filament lamp:	Yes	Remote operation possible:	No
Type of glass/cover:	Clear	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	RG0
Socket:	E27	Compatible with Apple HomeKit:	No
Colour:	Other	Compatible with Google Assistant:	No
Colour temperature:	2200 ~ 2200 K	Compatible with Amazon Alexa:	No
Beam angle:	360 ~ 360 °	IFTTT support available:	No
Colour consistency (McAdam ellipse):	SDCM6		

Packaging data

Weight	0.12 kg
Width	0.1 m
Height	0.15 m
Length	0.1 m
Customs code	85395200

