

LED Ba15s Tube T18x45 230V 3W 250Lm 830 AC Clear non-Dim



SDCM3; High lumen with compact size; Marine and automotive application;

Article number: SPL151922330

Status product: 126 - CURRENT

Changed last: 07-02-2025

Brand: Schiefer

Type: Ba15s

ETIM Group: EG000028 - Lamps

ETIM Classes: EC001959 - LED-lamp/Multi-LED

Synonym: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 235 V	Dimmable:	No
Nominal current:	13 ~ 14 mA	Diameter:	18 mm
Power factor:	0.4	Length:	45 mm
Lamp power:	3 ~ 3 W	Degree of protection (IP):	IP20
Voltage type:	AC	Energy Efficiency Index (EEI):	0.12
Luminous flux:	225 ~ 275 lm	Lamp designation:	Other
Rated luminous flux according to IEC 62612:	250 lm	Energy efficiency class:	G
Lamp efficacy:	83.33 lm/W	Min. number of switching cycles:	50000
Colour rendering index CRI:	80-89	Weighted energy consumption in 1000 hours:	3 kWh
Lamp shape:	Tube, single-ended	Average nominal lifespan:	30000 h
Filament lamp:	No	Remote operation possible:	No
Type of glass/cover:	Clear	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	RG0
Socket:	BA15s	Compatible with Apple HomeKit:	No
Colour:	White	Compatible with Google Assistant:	No
Colour temperature:	3000 ~ 3000 K	Compatible with Amazon Alexa:	No
Beam angle:	360 ~ 360 °	IFTTT support available:	No
Colour consistency (McAdam ellipse):	SDCM3		

Packaging data

Weight	0.02 kg
Width	0.03 m
Height	0.06 m
Length	0.03 m
Customs code	85395200

