

LED R7s 29x118 mm 230V 12.5W 3000K 1520Lm clear Dim



Lumen higher than average in the market; High lumen with compact size; Dimmable;

Article number:	L761181230
Status product:	126 - CURRENT
Changed last:	07-02-2025
Brand:	Schiefer
Type:	LED r7s 118mm
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Dimmable:	Yes
Nominal current:	52 ~ 57 mA	Diameter:	29 mm
Power factor:	0.9	Length:	118 mm
Lamp power:	12.5 ~ 12.5 W	Degree of protection (IP):	IP20
Voltage type:	AC	Energy Efficiency Index (EEI):	0.11
Luminous flux:	1368 ~ 1672 lm	Lamp designation:	Other
Rated luminous flux according to IEC 62612:	1520 lm	Energy efficiency class:	E
Lamp efficacy:	121.6 lm/W	Min. number of switching cycles:	50000
Colour rendering index CRI:	80-89	Weighted energy consumption in 1000 hours:	13 kWh
Lamp shape:	Linear	Average nominal lifespan:	15000 h
Filament lamp:	No	Remote operation possible:	No
Type of glass/cover:	Clear	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	RG0
Socket:	R7s	Compatible with Apple HomeKit:	No
Colour:	White	Compatible with Google Assistant:	No
Colour temperature:	3000 ~ 3000 K	Compatible with Amazon Alexa:	No
Beam angle:	360 ~ 360 °	IFTTT support available:	No
Colour consistency (McAdam ellipse):	SDCM6		

Packaging data

Weight	0.09 kg
Width	0.04 m
Height	0.04 m
Length	0.12 m
Customs code	85395200

