

MR16 LED GU5.3 24V 6W 3000K 425Lm 38Degr.



> 2 year warranty; High lumen with compact size; Suitable for 24V with over voltage protection ; Marine and automotive application;

Article number:	L74240630
Status product:	126 - CURRENT
Changed last:	07-02-2025
Brand:	Schiefer
Type:	LED spot MR16
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	24 ~ 30 V	Colour consistency (McAdam ellipse):	SDCM5
Nominal current:	200 ~ 250 mA	Dimmable:	No
Power factor:	1	Diameter:	50 mm
Lamp power:	6 ~ 6 W	Length:	48 mm
Voltage type:	DC	Degree of protection (IP):	IP20
Luminous flux:	383 ~ 468 lm	Energy Efficiency Index (EEI):	0.15
Rated luminous flux according to IEC 62612:	425 lm	Lamp designation:	MR16
Lamp efficacy:	70.83 lm/W	Energy efficiency class:	G
Luminous intensity:	650 cd	Min. number of switching cycles:	50000
Colour rendering index CRI:	80-89	Weighted energy consumption in 1000 hours:	6 kWh
Lamp shape:	Reflector	Average nominal lifespan:	15000 h
Filament lamp:	No	Remote operation possible:	No
Type of glass/cover:	Clear	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	RG0
Socket:	GU5.3	Compatible with Apple HomeKit:	No
Colour:	White	Compatible with Google Assistant:	No
Colour temperature:	3000 ~ 3000 K	Compatible with Amazon Alexa:	No
Housing colour:	White	IFTTT support available:	No
Beam angle:	38 ~ 38 °		

Packaging data

Weight	0.03 kg
Width	0.05 m
Height	0.05 m
Length	0.05 m
Customs code	85395200

