

## LED G53 AR111x67 12V 650Lm 12W 927 35° AC/DC Grijs Dim SPL



> CRI90; > 2 year warranty; SDCM3; Dimmable; Special (decorative) design for all markets;  
Suitable for high quality projects;

Article number: LAR11121292735D

Status product: 126 - CURRENT

Changed last: 07-02-2025

Brand: Schiefer

Type: LED spot AR111

ETIM Group: EG000028 - Lamps

ETIM Classes: EC001959 - LED-lamp/Multi-LED

Synonym: Bulblamp, Candlelamp, Globelamp,  
Lamp, LED, LED candle, LED capsule,  
LED lamp, LED luster



## Feature

Nominal voltage:	10 ~ 14 V	Colour consistency (McAdam ellipse):	SDCM3
Nominal current:	857 ~ 1200 mA	Dimmable:	Yes
Power factor:	0.9	Diameter:	111 mm
Lamp power:	12 ~ 12 W	Length:	67 mm
Voltage type:	AC/DC	Degree of protection (IP):	IP20
Luminous flux:	585 ~ 715 lm	Energy Efficiency Index (EEI):	0.22
Rated luminous flux according to IEC 62612:	650 lm	Lamp designation:	AR111
Lamp efficacy:	54.17 lm/W	Energy efficiency class:	G
Luminous intensity:	1600 cd	Min. number of switching cycles:	30000
Colour rendering index CRI:	90-100	Weighted energy consumption in 1000 hours:	12 kWh
Lamp shape:	Reflector	Average nominal lifespan:	25000 h
Filament lamp:	No	Remote operation possible:	No
Type of glass/cover:	Clear	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	RG0
Socket:	G53	Compatible with Apple HomeKit:	No
Colour:	White	Compatible with Google Assistant:	No
Colour temperature:	2700 ~ 2700 K	Compatible with Amazon Alexa:	No
Housing colour:	Grey	IFTTT support available:	No
Beam angle:	35 ~ 35 °		

## Packaging data

Weight	0.18 kg
Width	0.14 m
Height	0.09 m
Length	0.14 m
Customs code	85395200

