

E14 FILAMENT LED T20x56 mm 240V 1.5W 100LM 2500K CLEAR NON D



> CRI90; Suitable for cookerhood; Perfect incandescent replacement by size and lumen;

Article number: LF14201525

Status product: 126 - CURRENT

Changed last: 07-02-2025

Brand: Schiefer

Type: LED tubular

ETIM Group: EG000028 - Lamps

ETIM Classes: EC001959 - LED-lamp/Multi-LED

Synonym: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Dimmable:	No
Nominal current:	6 ~ 7 mA	Diameter:	20 mm
Power factor:	0.5	Length:	60 mm
Lamp power:	1.5 ~ 1.5 W	Degree of protection (IP):	IP20
Voltage type:	AC	Energy Efficiency Index (EEI):	0.11
Luminous flux:	90 ~ 110 lm	Lamp designation:	Other
Rated luminous flux according to IEC 62612:	100 lm	Energy efficiency class:	G
Lamp efficacy:	66.67 lm/W	Min. number of switching cycles:	50000
Colour rendering index CRI:	90-100	Weighted energy consumption in 1000 hours:	2 kWh
Lamp shape:	Tube, single-ended	Average nominal lifespan:	25000 h
Filament lamp:	Yes	Remote operation possible:	No
Type of glass/cover:	Clear	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	RG0
Socket:	E14	Compatible with Apple HomeKit:	No
Colour:	White	Compatible with Google Assistant:	No
Colour temperature:	2500 ~ 2500 K	Compatible with Amazon Alexa:	No
Beam angle:	360 ~ 360 °	IFTTT support available:	No
Colour consistency (McAdam ellipse):	SDCM6		

Packaging data

Weight	0.01 kg
Width	0.03 m
Height	0.07 m
Length	0.03 m
Customs code	85395200

