

## LED E27 Fila A60x106 230V 470Lm 4W 827 AC clear LS



Special (decorative) design for all markets; Very suitable for garden lighting; Switches on when it gets dark and off again when it gets light;

|                 |                                                                                                 |
|-----------------|-------------------------------------------------------------------------------------------------|
| Article number: | LF902704827S                                                                                    |
| Status product: | 126 - CURRENT                                                                                   |
| Changed last:   | 07-02-2025                                                                                      |
| Brand:          | Schiefer                                                                                        |
| Type:           | LED GLS with sensor                                                                             |
| ETIM Group:     | EG000028 - Lamps                                                                                |
| ETIM Classes:   | EC001959 - LED-lamp/Multi-LED                                                                   |
| Synonym:        | Bulblamp, Candlelamp, Globelamp,<br>Lamp, LED, LED candle, LED capsule,<br>LED lamp, LED luster |



## Feature

|                                             |                    |                                               |         |
|---------------------------------------------|--------------------|-----------------------------------------------|---------|
| Nominal voltage:                            | 220 ~ 240 V        | Dimmable:                                     | No      |
| Nominal current:                            | 17 ~ 18 mA         | Diameter:                                     | 60 mm   |
| Power factor:                               | 0.5                | Length:                                       | 106 mm  |
| Lamp power:                                 | 4 ~ 4 W            | Degree of protection (IP):                    | IP20    |
| Voltage type:                               | AC                 | Energy Efficiency Index (EEI):                | 0.1     |
| Luminous flux:                              | 423 ~ 517 lm       | Lamp designation:                             | A-type  |
| Rated luminous flux according to IEC 62612: | 470 lm             | Energy efficiency class:                      | E       |
| Lamp efficacy:                              | 117.5 lm/W         | Min. number of switching cycles:              | 10000   |
| Colour rendering index CRI:                 | 80-89              | Weighted energy consumption in 1000 hours:    | 4 kWh   |
| Lamp shape:                                 | Pear-shape         | Average nominal lifespan:                     | 20000 h |
| Filament lamp:                              | Yes                | Remote operation possible:                    | No      |
| Type of glass/cover:                        | Clear              | With remote control:                          | No      |
| Colour of light according to EN 12464-1:    | Warm white <3300 K | Photobiological safety according to EN 62471: | RG0     |
| Socket:                                     | E27                | Compatible with Apple HomeKit:                | No      |
| Colour:                                     | White              | Compatible with Google Assistant:             | No      |
| Colour temperature:                         | 2700 ~ 2700 K      | Compatible with Amazon Alexa:                 | No      |
| Beam angle:                                 | 360 ~ 360 °        | IFTTT support available:                      | No      |
| Colour consistency (McAdam ellipse):        | SDCM6              |                                               |         |

## Packaging data

|              |          |
|--------------|----------|
| Weight       | 0.05 kg  |
| Width        | 0.07 m   |
| Height       | 0.12 m   |
| Length       | 0.07 m   |
| Customs code | 85395200 |

