

T5.5 Starled 5.5x30 48V 10mA AC/DC Clear White 25Khrs



Schiefer has, for the replacement of signaling lamps, an extensive program in LED signaling. These are often used for push buttons, signal lighting, and all machines and places where small lamps are used.

Article number:	005248030
Status product:	126 - CURRENT
Changed last:	07-02-2025
Brand:	Schiefer
Type:	Telephone T5.5
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC000399 - Indication- and signalling lamp
Synonym:	Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Feature

Lamp power:	0.82 ~ 0.82 W	Colour:	White
Lamp voltage:	48 ~ 48 V	Colour temperature:	6500 K
Luminous flux:	4 lm	Diameter:	5.5 mm
Socket:	T5.5	Total length:	30 mm
Technology:	LED	Suitable for torches:	No
Lamp shape:	Tube, single-ended	Suitable for pointer:	No
Halogen:	No	Suitable for round flashing luminaire:	No
Krypton:	No	Nominal current:	10 mA
Xenon:	No	Average nominal lifespan:	25000 h

Packaging data

Weight	0 kg
Width	0.01 m
Height	0.03 m
Length	0.01 m
Customs code	85395200

