

## Ba9s Single Led T8.5x28 24V 15mA AC/DC white



Schiefer has, for the replacement of signaling lamps, an extensive program in LED signaling. These are often used for push buttons, signal lighting, and all machines and places where small lamps are used.

|                 |                                                                                   |
|-----------------|-----------------------------------------------------------------------------------|
| Article number: | 009824030                                                                         |
| Status product: | 126 - CURRENT                                                                     |
| Changed last:   | 07-02-2025                                                                        |
| Brand:          | Schiefer                                                                          |
| Type:           | Ba9s                                                                              |
| ETIM Group:     | EG000028 - Lamps                                                                  |
| ETIM Classes:   | EC000399 - Indication- and signalling lamp                                        |
| Synonym:        | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                    |                                        |         |
|----------------|--------------------|----------------------------------------|---------|
| Lamp power:    | 0.36 ~ 0.36 W      | Colour:                                | White   |
| Lamp voltage:  | 24 ~ 24 V          | Colour temperature:                    | 6500 K  |
| Luminous flux: | 5 lm               | Diameter:                              | 8.5 mm  |
| Socket:        | BA9s               | Total length:                          | 28 mm   |
| Technology:    | LED                | Suitable for torches:                  | No      |
| Lamp shape:    | Tube, single-ended | Suitable for pointer:                  | No      |
| Halogen:       | No                 | Suitable for round flashing luminaire: | No      |
| Krypton:       | No                 | Nominal current:                       | 15 mA   |
| Xenon:         | No                 | Average nominal lifespan:              | 20000 h |

## Packaging data

|              |          |
|--------------|----------|
| Weight       | 0 kg     |
| Width        | 0.01 m   |
| Height       | 0.03 m   |
| Length       | 0.01 m   |
| Customs code | 85395200 |

