

P13.5s LED 11x30 mm 1.2-9V DC 300mA 1W 6500K 80Lm



Schiefer has, for the replacement of signaling lamps, an extensive program in LED signaling. These are often used for push buttons, signal lighting, and all machines and places where small lamps are used.

Article number:	L131130180DL
Status product:	126 - CURRENT
Changed last:	07-02-2025
Brand:	Schiefer
Type:	P13.5s
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC000399 - Indication- and signalling lamp
Synonym:	Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Feature

Lamp power:	1 ~ 1 W	Colour:	Colourless
Lamp voltage:	1 ~ 9 V	Colour temperature:	6500 K
Luminous flux:	80 lm	Diameter:	11 mm
Socket:	P13.5s	Total length:	30 mm
Technology:	LED	Suitable for torches:	Yes
Lamp shape:	Tube, single-ended	Suitable for pointer:	No
Halogen:	No	Suitable for round flashing luminaire:	No
Krypton:	No	Nominal current:	300 mA
Xenon:	No	Average nominal lifespan:	10000 h

Packaging data

Weight	0.01 kg
Width	0.01 m
Height	0.03 m
Length	0.01 m
Customs code	85395200

