

3-Phase energy meter 80A DIN 2-Tariff MOD-BUS MID Certificat



3-Phase energy meter 80A DIN 2-Tariff MOD-BUS MID Certificate Thorcon	
Article number:	TH 01007
Status product:	126 - CURRENT
Changed last:	19-12-2024
Brand:	Thorcon
Type:	3-Phase DIN
ETIM Group:	EG000045 - Meters
ETIM Classes:	EC001506 - Kilowatt-hour meter
Synonym:	Effective power meter, Electricity meter for service distribution board, Energy meter, Four-conductor pulse generator meter, Four-conductor value transformer pulse generator meter, Kilowatt-hour meter, Mechanical kilowatt-hour meter, Rate meter, Rotary current four-conductor meter



Feature

Type of meter:	Electronic	Escapement mechanism:	No
Nominal current (In):	5 A	Calibrated:	No
Max. current (Imax):	80 A	Approval:	Measuring Instruments Directive
Nominal voltage (Un) N-L:	230 ~ 230 V	Pulse output:	Electrical
Nominal voltage (Un) L-L:	0 ~ 0 V	Pulse rate:	1000 ~ 1000 Imp/kWh (kvarh)
Frequency:	50 ~ 50 Hz	Type of indication:	Digital
Accuracy class:	B	Mounting method:	DRA (DIN-rail adapter)
Pole type:	Three conductor	Width:	75 mm
Model:	Direct measurement	Depth:	65 mm
Energy type:	Effective power	Height:	105 mm
Suitable for:	Purchase	Type of interface:	Modbus
Tariff type:	Two-tariff	EEC40 signature:	No
Tariff control:	Internal	With lock code:	No
Measurement type load profile:	Yes	Degree of protection (IP):	IP20

Packaging data

Weight	0.41 kg
Width	80 mm
Height	71 mm
Length	110 mm
Customs code	90283019

