

String LED Lighths with Glass Bulbs Thorgeon



String LED Lighths with Glass Bulbs Thorgeon

| | |
|-----------------|--|
| Article number: | TH 14009 |
| STATUS_PRODUCT: | 126 - CURRENT |
| CHANGED_LAST: | 12-06-2024 |
| Brand: | Thorgeon |
| ETIM Group: | EG000027 - Luminaires |
| ETIM Classes: | EC002761 - Festive lighting |
| SYNONYM: | Bulb luminaire, Candle, Candle stick light, Chandelier, Christmas lighting, Christmas tree lighting, Curtain light, Festive lighting, Illumination cable set |



Feature

| | | | |
|---|----------------------|--|---------------|
| Model: | Chainlight | Lowest energy efficiency class of the exchangeable lamp: | A |
| Number of light points: | 64 | Rated life time L70/B50 at 25 °C: | 0 h |
| Lamp type: | LED not exchangeable | Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq): | 0 % |
| With light source: | Yes | Failure rate at median useful life of 50,000 h at 25 °C ambient (tq): | 0 % |
| Colour: | White | Constant light output (CLO): | No |
| Voltage type: | AC | Degree of protection (IP): | IP67 |
| Nominal voltage: | 230 ~ 230 V | Protection class: | II |
| Connected load: | 2000 W | Colour of light: | Yellow |
| Battery power supply: | No | Width: | 0 mm |
| Suitable for outdoor use: | Yes | Height/depth: | 0 mm |
| With power bridge: | No | Total length: | 5 m |
| Couplable: | Yes | Diameter: | 0 mm |
| Type of control gear: | Not required | Type of wiring: | Ending |
| Exchangeable control gear: | No | Number of poles: | 20 |
| Energy efficiency class of the built-in lamp: | A++, A+, A (LED) | Conductor cross section: | 0 mm² |
| Highest energy efficiency class of the exchangeable lamp: | D | Connection type: | Push-in clamp |

Packaging data

| | |
|--------------|----------|
| Weight | 103.5 gr |
| Width | 220 mm |
| Height | 260 mm |
| Length | 450 mm |
| Customs code | 85366110 |

