

PIR Motion Sensor DALI 20m IP54 Thorgeon



PIR Motion Sensor DALI 20m IP54 Thorgeon	
Article number:	TH 02033
Status product:	126 - CURRENT
Changed last:	03-10-2024
Brand:	Thorgeon
Type:	PIR motion sensor
ETIM Group:	EG000013 - Domestic switching devices
ETIM Classes:	EC000133 - Movement sensor/presence detector complete
Synonym:	Auxiliary post, Movement sensor, Movement sensor complete, Multi-sensor, Presence detector, Movement sensor / presence detector complete, Movement sensor/presence detector complete



Feature

Model:	Movement sensor	Transparent:	No
Sensor type:	Passive infrared	Degree of protection (IP):	IP54
With DALI interface:	Yes	Voltage type:	AC
Constant light control:	Yes	Frequency:	0 ~ 0 Hz
HVAC-control:	No	Nominal voltage:	0 V
Forced switch on:	No	Min. switch-on time:	10 s
Forced switch off:	No	Max. duty cycle:	60 min
Animal zone:	No	Switch-off delay:	0 s
Creep-under protection:	No	Switching-on delay:	0 s
Networkable:	No	Detection angle horizontal:	0 ~ 0 °
Scan angle:	360 °	Pivoting range sensor, horizontal:	0 ~ 0 °
Optimum mounting height:	2.2 m	Pivoting range sensor, vertical:	0 ~ 0 °
Staircase light controller:	No	Response value luminosity:	10 ~ 2000 lx
Bridging switch:	No	Max. switching power:	0 W
Max. reach sideways:	0 m	Max. switching power LED:	2000 W
Max. presence range:	0 m ²	Suitable for C-load:	No
Max. reach frontally:	20 m	Temperature:	-20 ~ 40 °C
Diameter reach on floor:	6 m	Max. starting current:	0 A
Suitable for wireless transmission:	No	Min. starting current:	0 A
Remote operation:	No	Control current:	0 mA
With remote control:	Yes	Substation input:	No
Response value sensitivity adjustable:	Yes	With alarm function:	No
Response value luminosity adjustable:	No	Width:	102 mm
With signal unit:	No	Height:	102 mm
Teach-function for response value luminosity:	No	Depth:	51.7 mm
Suitable for ceiling mounting:	Yes	Diameter:	0 mm
Suitable for wall mounting:	Yes	Built-in width:	0 mm
Dim function with dimmer basic element:	No	Built-in depth:	0 mm
Mounting method:	Other	Built-in length:	0 mm
Connection type:	Other	Built-in diameter:	0 mm
Material:	Plastic	Compatible with Apple HomeKit:	No
Material quality:	Thermoplastic	Min. depth of built-in installation box:	0 mm
Halogen free:	Yes	Compatible with Google Assistant:	No
Surface protection:	Untreated	Compatible with Amazon Alexa:	No
Surface finishing:	Matt	IFTTT support available:	No
Anti-bacterial treatment:	No	Nominal voltage:	220 ~ 240 V
Colour:	White		

Packaging data

Weight	0 gr
Width	109 mm
Height	124 mm
Length	89 mm

