

Pliable Corrugated Conduit with Pulling Wire 50m 16mm 320N G



Pliable Corrugated Conduit with Pulling Wire 50m 16mm 320N G	
Article number:	TH 15049
Status product:	126 - CURRENT
Changed last:	11-12-2024
Brand:	Thorgeon
Type:	Flexible installation pipe with Pulling Wire
ETIM Group:	EG000002 - Pipes/hoses for cable installation
ETIM Classes:	EC001174 - Plastic installation tube
Synonym:	Installation tube, Pipe, Plastic installation tube, Plastic pipe, Plastic tube, Tube



Feature

Material:	PVC, UV-stabilized	Machine and systems installation:	Yes
Halogen free:	No	Suitable for underfloor installation (screed):	No
Fire retardant version:	No	Outdoor installation:	No
Bending strength:	Pliable	Suitable for underground installation:	No
With sleeve:	No	Inner diameter:	11.5 mm
Compressive strength class:	Light (class 2)	Outer diameter:	16 mm
Impact strength:	Light (class 2)	Operating temperature:	-5 ~ 60 °C
Flush-mounted installation:	Yes	High conducting inner coating:	No
Surface mounting:	No	With metre indication:	No
Suitable for installation on wood:	No	Colour:	Grey
Suitable for hollow wall installation:	No	RAL-number:	7035
Suitable for concrete installation:	No		

Packaging data

Weight	0 gr
Customs code	85444991

