

Pliable Corrugated Conduit with Pulling Wire 50m 20mm 750N G



Pliable Corrugated Conduit with Pulling Wire 50m 20mm 750N G	
Article number:	TH 15058
Status product:	126 - CURRENT
Changed last:	11-12-2024
Brand:	Thorgeon
Type:	Flexible installation pipe with Pulling Wire
ETIM Group:	EG000002 - Pipes/hoses for cable installation
ETIM Classes:	EC001174 - Plastic installation tube
Synonym:	Installation tube, Pipe, Plastic installation tube, Plastic pipe, Plastic tube, Tube



Feature

Material:	PVC, UV-stabilized	Machine and systems installation:	Yes
Halogen free:	No	Suitable for underfloor installation (screed):	Yes
Fire retardant version:	No	Outdoor installation:	Yes
Bending strength:	Pliable	Suitable for underground installation:	No
With sleeve:	No	Inner diameter:	15 mm
Compressive strength class:	Medium (class 3)	Outer diameter:	20 mm
Impact strength:	Medium (class 3)	Operating temperature:	-15 ~ 60 °C
Flush-mounted installation:	Yes	High conducting inner coating:	No
Surface mounting:	Yes	With metre indication:	No
Suitable for installation on wood:	Yes	Colour:	Grey
Suitable for hollow wall installation:	Yes	RAL-number:	7035
Suitable for concrete installation:	Yes		

Packaging data

Weight	0 gr
Customs code	85444991

