


## WE T1 3/4 6.3V 40mA C-2V



|                          |                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------|
| WE T1 3/4 6.3V 40mA C-2V |                                                                                   |
| Article number:          | 010616179                                                                         |
| Status product:          | 94E - Article ahead (GS1 Code)                                                    |
| Changed last:            | 02-10-2024                                                                        |
| Brand:                   | Vezalux                                                                           |
| Type:                    | Wire ended T1 3/4                                                                 |
| ETIM Group:              | EG000028 - Lamps                                                                  |
| ETIM Classes:            | EC000399 - Indication- and signalling lamp                                        |
| Synonym:                 | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                    |                                        |            |
|----------------|--------------------|----------------------------------------|------------|
| Lamp power:    | 0.25 ~ 0.25 W      | Colour:                                | Colourless |
| Lamp voltage:  | 6.3 ~ 6.3 V        | Colour temperature:                    | 2700 K     |
| Luminous flux: | 0 lm               | Diameter:                              | 5.7 mm     |
| Socket:        | Thread end         | Total length:                          | 13.2 mm    |
| Technology:    | Incandescent lamp  | Suitable for torches:                  | No         |
| Lamp shape:    | Tube, single-ended | Suitable for pointer:                  | No         |
| Halogen:       | No                 | Suitable for round flashing luminaire: | No         |
| Krypton:       | No                 | Nominal current:                       | 40 mA      |
| Xenon:         | No                 | Average nominal lifespan:              | 10000 h    |

## Packaging data

|        |      |
|--------|------|
| Weight | 0 gr |
|--------|------|

