


## MG T1 3/4 10V 15mA C-2F



|                         |                                                                                   |
|-------------------------|-----------------------------------------------------------------------------------|
| MG T1 3/4 10V 15mA C-2F |                                                                                   |
| Article number:         | 030616223                                                                         |
| Status product:         | 94E - Article ahead (GS1 Code)                                                    |
| Changed last:           | 02-10-2024                                                                        |
| Brand:                  | Vezalux                                                                           |
| Type:                   | Midget grooved T1 3/4                                                             |
| ETIM Group:             | EG000028 - Lamps                                                                  |
| ETIM Classes:           | EC000399 - Indication- and signalling lamp                                        |
| Synonym:                | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                    |                                        |            |
|----------------|--------------------|----------------------------------------|------------|
| Lamp power:    | 0.15 ~ 0.15 W      | Colour:                                | Colourless |
| Lamp voltage:  | 10 ~ 10 V          | Colour temperature:                    | 2700 K     |
| Luminous flux: | 0 lm               | Diameter:                              | 5.7 mm     |
| Socket:        | Midget grooved     | Total length:                          | 16 mm      |
| Technology:    | Incandescent lamp  | Suitable for torches:                  | No         |
| Lamp shape:    | Tube, single-ended | Suitable for pointer:                  | No         |
| Halogen:       | No                 | Suitable for round flashing luminaire: | No         |
| Krypton:       | No                 | Nominal current:                       | 15 mA      |
| Xenon:         | No                 | Average nominal lifespan:              | 10000 h    |

## Packaging data

|        |      |
|--------|------|
| Weight | 0 gr |
|--------|------|

