


## Bi-pin T1 3/4 2.5V 300mA 3.17 mm



Bi-pin T1 3/4 2.5V 300mA 3.17 mm

|                 |                                                                                   |
|-----------------|-----------------------------------------------------------------------------------|
| Article number: | 040616052                                                                         |
| Status product: | 126 - CURRENT                                                                     |
| Changed last:   | 02-10-2024                                                                        |
| Brand:          | Veزالux                                                                           |
| Type:           | Bi-pin T1 3/4                                                                     |
| ETIM Group:     | EG000028 - Lamps                                                                  |
| ETIM Classes:   | EC000399 - Indication- and signalling lamp                                        |
| Synonym:        | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                    |                                        |            |
|----------------|--------------------|----------------------------------------|------------|
| Lamp power:    | 0.75 ~ 0.75 W      | Colour:                                | Colourless |
| Lamp voltage:  | 2.5 ~ 2.5 V        | Colour temperature:                    | 2700 K     |
| Luminous flux: | 0 lm               | Diameter:                              | 5.7 mm     |
| Socket:        | Bi-pin             | Total length:                          | 23 mm      |
| Technology:    | Incandescent lamp  | Suitable for torches:                  | No         |
| Lamp shape:    | Tube, single-ended | Suitable for pointer:                  | No         |
| Halogen:       | No                 | Suitable for round flashing luminaire: | No         |
| Krypton:       | No                 | Nominal current:                       | 300 mA     |
| Xenon:         | No                 | Average nominal lifespan:              | 5000 h     |

## Packaging data

|        |      |
|--------|------|
| Weight | 0 gr |
|--------|------|

