


## E 5/8 T1 3/4 18V 40mA C-2F



|                            |                                                                                   |
|----------------------------|-----------------------------------------------------------------------------------|
| E 5/8 T1 3/4 18V 40mA C-2F |                                                                                   |
| Article number:            | 050616310                                                                         |
| Status product:            | 126 - CURRENT                                                                     |
| Changed last:              | 02-10-2024                                                                        |
| Brand:                     | Veزالux                                                                           |
| Type:                      | E5/8 T1 3/4                                                                       |
| ETIM Group:                | EG000028 - Lamps                                                                  |
| ETIM Classes:              | EC000399 - Indication- and signalling lamp                                        |
| Synonym:                   | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                    |                                        |        |
|----------------|--------------------|----------------------------------------|--------|
| Lamp power:    | 0.72 ~ 0.72 W      | Colour temperature:                    | 2700 K |
| Lamp voltage:  | 18 ~ 18 V          | Diameter:                              | 5.7 mm |
| Luminous flux: | 0 lm               | Total length:                          | 17 mm  |
| Socket:        | E5/8               | Suitable for torches:                  | No     |
| Technology:    | Incandescent lamp  | Suitable for pointer:                  | No     |
| Lamp shape:    | Tube, single-ended | Suitable for round flashing luminaire: | No     |
| Halogen:       | No                 | Nominal current:                       | 40 mA  |
| Krypton:       | No                 | Average nominal lifespan:              | 5000 h |
| Xenon:         | No                 | Energy efficiency class:               | G      |
| Colour:        | Colourless         |                                        |        |

## Packaging data

|        |      |
|--------|------|
| Weight | 0 gr |
|--------|------|

