


## Ba9s 15x29 mm 10V 400mA 4W C-2V



|                                 |                                                                                   |
|---------------------------------|-----------------------------------------------------------------------------------|
| Ba9s 15x29 mm 10V 400mA 4W C-2V |                                                                                   |
| Article number:                 | 091529229                                                                         |
| Status product:                 | 94E - Article ahead (GS1 Code)                                                    |
| Changed last:                   | 02-10-2024                                                                        |
| Brand:                          | Vezalux                                                                           |
| Type:                           | Ba9s G15x29                                                                       |
| ETIM Group:                     | EG000028 - Lamps                                                                  |
| ETIM Classes:                   | EC000399 - Indication- and signalling lamp                                        |
| Synonym:                        | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                    |                                        |            |
|----------------|--------------------|----------------------------------------|------------|
| Lamp power:    | 4 ~ 4 W            | Colour:                                | Colourless |
| Lamp voltage:  | 10 ~ 10 V          | Colour temperature:                    | 2700 K     |
| Luminous flux: | 0 lm               | Diameter:                              | 15 mm      |
| Socket:        | BA9s               | Total length:                          | 29 mm      |
| Technology:    | Incandescent lamp  | Suitable for torches:                  | No         |
| Lamp shape:    | Tube, single-ended | Suitable for pointer:                  | No         |
| Halogen:       | No                 | Suitable for round flashing luminaire: | No         |
| Krypton:       | No                 | Nominal current:                       | 400 mA     |
| Xenon:         | No                 | Average nominal lifespan:              | 2000 h     |

## Packaging data

|        |      |
|--------|------|
| Weight | 0 gr |
|--------|------|

