


## Ba15d 13x30 mm 30V 5W C-2V



|                            |                                                                                   |
|----------------------------|-----------------------------------------------------------------------------------|
| Ba15d 13x30 mm 30V 5W C-2V |                                                                                   |
| Article number:            | 151430400                                                                         |
| Status product:            | 126 - CURRENT                                                                     |
| Changed last:              | 02-10-2024                                                                        |
| Brand:                     | Vezalux                                                                           |
| Type:                      | Ba15d T13x30                                                                      |
| ETIM Group:                | EG000028 - Lamps                                                                  |
| ETIM Classes:              | EC000399 - Indication- and signalling lamp                                        |
| Synonym:                   | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                    |                                        |        |
|----------------|--------------------|----------------------------------------|--------|
| Lamp power:    | 5 ~ 5 W            | Colour temperature:                    | 2700 K |
| Lamp voltage:  | 30 ~ 30 V          | Diameter:                              | 13 mm  |
| Luminous flux: | 0 lm               | Total length:                          | 30 mm  |
| Socket:        | BA15d              | Suitable for torches:                  | No     |
| Technology:    | Incandescent lamp  | Suitable for pointer:                  | No     |
| Lamp shape:    | Tube, single-ended | Suitable for round flashing luminaire: | No     |
| Halogen:       | No                 | Nominal current:                       | 167 mA |
| Krypton:       | No                 | Average nominal lifespan:              | 2000 h |
| Xenon:         | No                 | Energy efficiency class:               | E      |
| Colour:        | Colourless         |                                        |        |

## Packaging data

|        |      |
|--------|------|
| Weight | 0 gr |
|--------|------|

