


## T5.5k 5.5x22 mm 6V 50mA



|                         |                                                                                   |
|-------------------------|-----------------------------------------------------------------------------------|
| T5.5k 5.5x22 mm 6V 50mA |                                                                                   |
| Article number:         | 545422137                                                                         |
| Status product:         | 126 - CURRENT                                                                     |
| Changed last:           | 02-10-2024                                                                        |
| Brand:                  | Veزالux                                                                           |
| Type:                   | Telephone T5.5k                                                                   |
| ETIM Group:             | EG000028 - Lamps                                                                  |
| ETIM Classes:           | EC000399 - Indication- and signalling lamp                                        |
| Synonym:                | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                   |                                        |            |
|----------------|-------------------|----------------------------------------|------------|
| Lamp power:    | 0.3 ~ 0.3 W       | Colour:                                | Colourless |
| Lamp voltage:  | 6 ~ 6 V           | Colour temperature:                    | 2700 K     |
| Luminous flux: | 0 lm              | Diameter:                              | 5.5 mm     |
| Socket:        | T5.5K             | Total length:                          | 22 mm      |
| Technology:    | Incandescent lamp | Suitable for torches:                  | No         |
| Lamp shape:    | Other             | Suitable for pointer:                  | No         |
| Halogen:       | No                | Suitable for round flashing luminaire: | No         |
| Krypton:       | No                | Nominal current:                       | 50 mA      |
| Xenon:         | No                | Average nominal lifespan:              | 5000 h     |

## Packaging data

|        |      |
|--------|------|
| Weight | 0 gr |
|--------|------|

