


## ESB 6.5x23 mm 28V 40mA



|                        |                                                                                   |
|------------------------|-----------------------------------------------------------------------------------|
| ESB 6.5x23 mm 28V 40mA |                                                                                   |
| Article number:        | 656523387                                                                         |
| Status product:        | 94E - Article ahead (GS1 Code)                                                    |
| Changed last:          | 02-10-2024                                                                        |
| Brand:                 | Vezalux                                                                           |
| Type:                  | Festoon S6                                                                        |
| ETIM Group:            | EG000028 - Lamps                                                                  |
| ETIM Classes:          | EC000399 - Indication- and signalling lamp                                        |
| Synonym:               | Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |



## Feature

|                |                    |                                        |            |
|----------------|--------------------|----------------------------------------|------------|
| Lamp power:    | 1.12 ~ 1.12 W      | Colour:                                | Colourless |
| Lamp voltage:  | 28 ~ 28 V          | Colour temperature:                    | 2700 K     |
| Luminous flux: | 0 lm               | Diameter:                              | 6.5 mm     |
| Socket:        | ESB                | Total length:                          | 23 mm      |
| Technology:    | Incandescent lamp  | Suitable for torches:                  | No         |
| Lamp shape:    | Tube, single-ended | Suitable for pointer:                  | No         |
| Halogen:       | No                 | Suitable for round flashing luminaire: | No         |
| Krypton:       | No                 | Nominal current:                       | 40 mA      |
| Xenon:         | No                 | Average nominal lifespan:              | 6000 h     |

## Packaging data

|        |      |
|--------|------|
| Weight | 0 gr |
|--------|------|

