

Osram HMI 1200W DXS



Product family benefits: Enhanced safety with UV-Stop (UVS) feature on select HMI single-end lamps. Enhanced HMI technologies offered including the new HMI DIGITAL and HMI STUDIO. Product family features: High intensity light providing true color performance with a CRI>90. Longer life with heat dissipating round moly-foil design on lamps ? 6000W. Mechanically robust with eXtreme Seal (XS) technology, up to 450°C at the pinch seal?. Capable of hot restrike ignition. High color stability with average changes in color temperature during lamp life only 1°K/hr. Dimmable down to 40% with stable color using many electronic ballasts. High energy efficiency providing up to 100 LPW?. Areas of application: Studio, TV and film. Professional Photography. Solar Simulation.

Artikelcode:	OSR 931153
Status product:	126 - Lopend
Laatst gewijzigd:	12-06-2024
Merk:	OSRAM
Type:	HMI
ETIM groep:	EG000028 - Lampen
ETIM class:	EC001057 - Studio-, projectie- en fotolamp
Synoniemen:	Fotolamp, Halogeenstiftlamp, Koudlichtspiegellamp, Metaalhalogeenlamp, Projectorlamp, Studio- projectie- en fotolamp, Studiolump



Specificaties

Lampvermogen:	1200 W	Filament:	Overig
Lampspanning:	100 ~ 100 V	Lichtpunthoogte:	43000 mm
Lichtstroom:	110000 lm	Doorsnede reflector:	27 mm
Voet:	SFC15,5-6	Totale lengte:	220 mm
Kleurtemperatuur:	6000 K	Diameter:	27 mm
Brandstand:	Willekeurig	Coolbeam:	Nee
ANSI:	Overig	Technologie:	Overig

Verpakkingsinformatie

Gewicht	153 gr
Breedte	225 mm
Hoogte	32 mm
Lengte	32 mm
Verpakkingscode (volgens EANCOM codelijst 7065)	CT
Verpakkingsvorm	Karton
Een kartonnen doos of container	
CBS-code	85393290

